This case has been carefully reviewed and analyzed in view of the Office Action

dated 15 March 2005. Responsive to the rejections made in the Official Action, Claim 1

has been amended to more clearly clarify the inventive concept of the Applicant.

The Examiner rejected Claims 1 and 2 under 35 U.S.C. § 112, second paragraph,

as being indefinite for failing to particularly point out and distinctly claim the subject

matter which Applicant regards as the invention. Specifically, the Examiner stated that

Claim 1 was not clear over whether x defines the molar or weight ratio. In response to

this rejection, Claim 1 has been amended and now particularly points out and distinctly

claims the subject matter which Applicant regards as the invention.

In the Office Action, the Examiner rejected Claim 1 under 35 U.S.C. § 102 as

being anticipated by Ito, et al. (U.S. Patent 6,090,732). In the rejection, the Examiner

referred to examples 1-8 in Ito, et al. and stated that Claim 1 was considered anticipated.

Before discussing the prior art relied upon by the Examiner, it is believed

beneficial to first briefly review the subject Patent Application inventive concept, as

defined in the Claims. The object of the present invention is to provide a dielectric

ceramic composition having a low dielectric constant and excellent sintering properties

for use in electronic components. The inventive composition is represented by the

following formula; $(1-x)(A_{1-y}')O-xP_2O_5$, wherein A' is either Ca, Ba, Sr, Zn, My, Ni,

Mn or W and A" is a cation substituent. It has been found that the dielectric ceramic

composition of the subject Patent Application has excellent dielectric characteristics, for

example, a low dielectric loss, a low dielectric constant and excellent temperature

Page 3 of 7

stability, and can be sintered at a low temperature.

In contradistinction, the Ito, et al. Patent is directed to zinc-doped tricalcium phosphate ceramic material. The ceramic material of Ito, et al. is used as a <u>surgical implant</u> for a hard-tissue of a living body. Ito, et al. discloses the use of zinc because of its known osteogenesis-promoting effect and therefore its pharmaceutical effect when placed into a living body.

Nowhere does the reference disclose or suggest a dielectric ceramic composition which is <u>used</u> in <u>electronic components</u>. Although Ito, et al. discloses the use of calcium, zinc and phosphate in its composition, nowhere does the reference disclose or suggest the use of a "... cation substituent ..." as now defined in amended independent Claim 1. The use of the cation substituent allows sintering at a low temperature of 850°C and improves the dielectric characteristics. Ito, et al. uses a sintering process in which polyvinyl alcohols are used as a binder in the sintering process and sintering is performed at a temperature range from 900-1200°C and more preferably from 1050-1200°C. Therefore, the Ito, et al. reference does not direct itself to the elements of the subject invention concept as defined by now amended independent Claim 1 and does not provide for the objects and the purposes of the subject invention system.

In the Official Action, the Examiner rejected Claims 1 and 2 under 35 U.S.C. § 102 as being anticipated by Lee (U.S. Patent 6,514,891). In the rejection, the Examiner specifically referred to Table I in the Lee '891 reference. The Lee '891 reference is directed to a dielectric composition for a solid state display. The Lee reference discloses a dielectric composition that includes a glass former such as SiO₂ and B₂O₃. As Applicant has shown, the use of dielectric glass compositions has disadvantages such as a

Reply to Office Action dated 15 March 2005

considerably reduced Q-factor and a high dielectric loss in the high-frequency bands. Additionally, the glass compositions have poor temperature stability because the resonance frequency temperature coefficient cannot be stably controlled. Furthermore, the Lee reference uses binary and ternary compounds which are used to increase the dielectric properties. Lee discloses binary compounds comprising PbTiO₃ and ternary compounds comprising PbTiO₃ and PbZrO₃. As mentioned, the binary and ternary compounds are used in oxide fillers added to the main glass powder (B₂O₃ or SiO₂) in order to increase the dielectric properties.

Nowhere does the Lee reference disclose or suggest, "... a phosphate-based ceramic composition with a low dielectric constant ... wherein A" is a cation substituent ..." as is now defined in amended independent Claim 1. The Lee '891 reference uses glass formers which do not have the same dielectric properties as the phosphate-based ceramic compositions taught by the subject Patent Application. Furthermore, Applicant's claimed composition has excellent dielectric characteristics without the use of binary and ternary compounds. Therefore, the Lee reference does not direct itself to elements of the subject invention concept as defined by now amended independent Claim 1.

In the Official Action, the Examiner rejected Claims 1 and 2 under 35 U.S.C. § 102 as being anticipated by Lee, et al. (U.S. Patent 6,376,398). In the rejection, the Examiner specifically referred to Table 3 in the Lee, et al. '398 reference. The Lee, et al. '398 reference is directed to a dielectric composition for a plasma display panel. In the dielectric composition of the Lee, et al. reference, a P₂O₅-ZnO-BaO group glass is used. Furthermore, as shown in Table 3 of the Lee, et al. '398 reference, glass former (B₂O₃) is used in the disclosed compositions. As stated in reference to the Lee '891 Patent, the use

of a glass former such as B₂O₃ has many disadvantages such as a considerably reduced

O-factor and a high dielectric loss in the high-frequency bands. Additionally, the glass

has poor temperature stability because the resonance frequency temperature coefficient

cannot be stably controlled.

Therefore, it is respectfully submitted that the Lee, et al. '398 reference does not

disclose or suggest, "... a phosphate-based ceramic composition with a low dielectric

constant ... wherein A" is a cation substituent ...", as is now defined in amended

independent Claim 1.

Admittedly, the Lee '891 and the Lee, et al. '398 references disclose compositions

similar to that of the subject Patent Application. However, the references use glass

formers which result in disadvantages in the dielectric characteristics.

disadvantages that Applicant has overcome by the use of a ceramic composition, the

composition that is neither disclosed nor suggested by either Lee '891 or Lee, et al. '398

references.

It is not believed by the undersigned Attorney that any of the references anticipate

the subject Patent Application as now defined by amended Claim 1.

While it is believed that dependent Claim 2 adds further patentably distinct

limitations, that Claim is at least patentably distinct for the same reasons as independent

Claim 1.

The references cited by the Examiner but not used in the rejection have been

reviewed and are believed to be further remote from the subject invention concept as

defined the now amended Claim and that used by the Examiner in his rejection.

Page 6 of 7

MR2685-153

Serial Number: 10/722,491

Reply to Office Action dated 15 March 2005

It is now believed that the subject Patent Application has been placed in condition for allowance and such action is respectfully requested.

Respectfully submitted,

For: ROSENBERG, KLEIN & LEE

David I. Klein

Registration #33,253

Dated: 13 Sept. 2005

Suite 101 3458 Ellicott Center Drive Ellicott City, MD 21043 (410) 465-6678 Customer No. 04586